



NEW DESIGN, SAFER LIVING

VTO6521K – APARTMENT DOOR ENTRY SOLUTION

- ✓ 316 stainless steel panel; IK08 and IP65
- ✓ 4.3-inch LCD display with screen resolution 800 × 480
- ✓ Unlimited Mobile App users and 500 Indoor Monitors
- ✓ 2MP CMOS; True WDR

Features



2 MP
CMOS, White/IR light



800×480
4.3"LCD Screen



H:86.4°, V:46.2°, D: 100.6°
Wide viewing angle



Mifare Card
Capacity: 10,000



Password
Uniform password
/self-password



Protection
IP65, IK08



IP65



IK08



-30°C ~ +60°C

Flush & Surface Installation

Easy installation with flush or surface box. With high protection degree IP65 and IK08, it can work normally under different environments and scenarios.



New Design



4.3" LCD Display



Braille Buttons



316 Stainless Steel

* Design and specifications are subject to change without notice.

Ver. 1, March, 2022

Dahua UK & Ireland (Head Office)
Quantum, 60 Norden Road, Maidenhead, Berkshire SL6 4AY

Tel:
+44 (0) 1628 200880

Email:
sales.UK@dahuatech.com,
support.UK@dahuatech.com



YouTube



LinkedIn




Partner App



Website

IP Small Apartment Intercom Architecture



* Design and specifications are subject to change without notice.

Ver. 1, March. 2022

Dahua UK & Ireland [Head Office]
Quantum, 60 Norden Road, Maidenhead, Berkshire SL6 4AY

Tel:
+44 (0) 1628 200880

Email:
sales.UK@dahuatech.com,
support.UK@dahuatech.com



YouTube



LinkedIn



Partner App




Website

Community Intercom System Architecture

Dahua Software DSS as the SIP server



- Max. 2,000 Indoor monitor can be supported
- VTO6521K can be used as Fence and Block VTO
- DMSS Mobile app can answer call anywhere



* Design and specifications are subject to change without notice.

Ver. 1, March. 2022

Dahua UK & Ireland [Head Office]
Quantum, 60 Norden Road, Maidenhead, Berkshire SL6 4AY

Tel:
+44 (0) 1628 200880

Email:
sales.UK@dahuatech.com,
support.UK@dahuatech.com



YouTube



LinkedIn



Partner App



Website